

# QUICK REFERENCE 2024 E/M LEVEL REQUIREMENTS



Prepared by:  
**DeCodingDoc.com**  
powered by CompetentSee, LLC  
Stephanie Cecchini, CPC, CEMC, CEPFG, CEO  
2698 S Redwood Rd, West Valley City, UT 84119  
Steph@competentsee.com

# MDM 2024 E/M Coding Levels: Office & Consultation


A) 2 of 3 MDM elements must be met or exceeded, or B) be met based on the provider's same-day, medically needed, total time. Hx & Ex also req.

**9924X:**Outpt consult  
**9925X:**Inpt/obs consult  
**9920X:**New OV  
**9921X:**Est OV

② of ③  
 ELEMENTS BELOW REQ.




	"Minor" <span style="background-color: #28a745; color: white; padding: 5px; border-radius: 10px; font-weight: bold; font-size: 1.2em;">2</span> <b>STRAIGHT FORWARD</b>	"Routine" <span style="background-color: #ffc107; color: white; padding: 5px; border-radius: 10px; font-weight: bold; font-size: 1.2em;">3</span> <b>LOW</b>	"Complex" <span style="background-color: #17a2b8; color: white; padding: 5px; border-radius: 10px; font-weight: bold; font-size: 1.2em;">4</span> <b>MODERATE</b>	"Emergency" <span style="background-color: #6c757d; color: white; padding: 5px; border-radius: 10px; font-weight: bold; font-size: 1.2em;">5</span> <b>HIGH</b>
<p style="text-align: center;">⌚</p> <p>15 min: New OV 10 min: Est OV 20 min: Outpt consult 35 min: Inpt/obs consult</p>	<p style="text-align: center;">⌚</p> <p>30 min: New OV 20 min: Est OV 30 min: Outpt consult 45 min: Inpt/obs consult</p>	<p style="text-align: center;">⌚</p> <p>45 min: New OV 30 min: Est OV 40 min: Outpt consult 60 min: Inpt/obs consult</p>	<p style="text-align: center;">⌚</p> <p>60 min: New OV 40 min: Est OV 55 min: Outpt consult 80 min: Inpt/obs consult</p>	
<p><b>ELEMENT →</b>                      ① <b>NUMBER &amp; COMPLEXITY OF PROBLEMS ADDRESSED AT THE ENCOUNTER</b></p>	<ul style="list-style-type: none"> <li>• 1 self-limited or minimal</li> </ul>	<ul style="list-style-type: none"> <li>• 2+ minor or</li> <li>• 1 chronic stable or</li> <li>• 1 acute stable</li> <li>• 1 acute uncomplicated</li> </ul>	<ul style="list-style-type: none"> <li>• 2+ chronic stable</li> <li>• 1 chronic worsened/Not @ goal</li> <li>• 1 acute systemic sx</li> <li>• 1 acute complicated injury/illness</li> <li>• 1 undx c UNK Prog c ↑risk of morbidity s tx</li> </ul>	<ul style="list-style-type: none"> <li>• 1 chronic with severe exacerbation</li> <li>• 1 acute or chronic illness or injury that poses a threat to life or bodily function</li> </ul>
<p><b>ELEMENT →</b>                      ② <b>AMOUNT/COMPLETENESS OF DATA TO BE REVIEWED AND ANALYZED</b></p>	<p>None</p>	<p>2 Counts (any)</p> <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> </ul> <p>Or</p> <ul style="list-style-type: none"> <li>• Assessment req. directly from historian(s)</li> </ul>	<p>3 Counts (any)</p> <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assessment req. dir. from historian(s) (=1)</li> </ul> <p>Or</p> <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported)</li> </ul> <p>Or</p> <ul style="list-style-type: none"> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>	<p>3 Counts (any)</p> <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assess. req. dir. from historian(s) (=1)</li> </ul> <p><b>AND</b></p> <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported) <b>OR</b></li> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>
<p><b>ELEMENT →</b>                      ③ <b>RISK OF COMPLICATIONS, MORBIDITY, OR MORTALITY OF PT MANAGEMENT</b></p>	<p><b>MINIMAL</b> concern regarding the likelihood of side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death.</p>	<p><b>LOW</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. minor surgery without risk factors, OTC drugs.</p>	<p><b>MODERATE</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. Rx drug, minor sx with risk factors, major elective sx without risk factors, Dx/Tx significantly limited by social determinants of health.</p>	<p><b>HIGH</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex: medication toxicity management, major surgery with risk factors, emergency surgery with risk factors, DNR, etc.</p>

\*Only count unique tests that are NOT separately reported by same tax ID. \*\*Orders include reviews.



# MDM 2024 E/M Coding Levels: Hospital Inpatient and Observation Care




A) 2 of 3 MDM elements must be met or exceeded, or B) be met based on the provider's same-day, medically needed, total time. Hx & Ex also req.

	“Routine” <b>1 LOW</b>	“Complex” <b>2 MODERATE</b>	“Emergency” <b>3 HIGH</b>
<b>9922x: initial inPt/obs</b> <b>9923x: sub inPt/obs</b>  <b>② of ③</b> <b>ELEMENTS BELOW REQ.</b>	 40 min: initial inPt/obs 25 min: sub inPt/obs	 55 min: initial inPt/obs 35 min: sub inPt/obs	 75 min: initial inPt/obs 50 min: sub inPt/obs
<b>① ELEMENT →</b> <b>NUMBER &amp; COMPLEXITY OF PROBLEMS ADDRESSED AT THE ENCOUNTER</b>	<ul style="list-style-type: none"> <li>• 2+ minor or</li> <li>• 1 chronic stable or</li> <li>• 1 acute stable</li> <li>• 1 acute uncomplicated</li> </ul>	<ul style="list-style-type: none"> <li>• 2+ chronic stable</li> <li>• 1 chronic worsened/Not @ goal</li> <li>• 1 acute systemic sx</li> <li>• 1 acute complicated injury/illness</li> <li>• 1 undx c UNK Prog c ↑risk of morbidity s tx</li> </ul>	<ul style="list-style-type: none"> <li>• 1 chronic with severe exacerbation</li> <li>• 1 acute or chronic illness or injury that poses a threat to life or bodily function</li> </ul>
<b>② ELEMENT →</b> <b>AMOUNT/COMPLETENESS OF DATA TO BE REVIEWED AND ANALYZED</b>	2 Counts (any) <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> </ul> Or <ul style="list-style-type: none"> <li>• Assessment req. directly from historian(s)</li> </ul>	3 Counts (any) <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assessment req. dir. from historian(s) (=1)</li> </ul> Or <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported)</li> </ul> Or <ul style="list-style-type: none"> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>	3 Counts (any) <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assess. req. dir. from historian(s) (=1)</li> </ul> <b>AND</b> <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported) <b>OR</b></li> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>
<b>③ ELEMENT →</b> <b>RISK OF COMPLICATIONS, MORBIDITY, OR MORTALITY OF PT MANAGEMENT</b>	<b>LOW</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. minor surgery without risk factors, OTC drugs.	<b>MODERATE</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. Rx drug, minor sx with risk factors, major elective sx without risk factors, Dx/Tx significantly limited by social determinants of health.	<b>HIGH</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. medication toxicity management, major surgery with risk factors, emergency surgery with risk factors, DNR, etc.

\*Only count unique tests that are NOT separately reported by same tax ID. \*\*Orders include reviews.

# MDM 2024 E/M Coding Levels: Hospital Admit with Same Day Discharge (9923x)

A) 2 of 3 MDM elements must be met or exceeded, or B) be met based on the provider's same-day, medically needed, total time. Hx & Ex also req.

	"Minor" <b>4 STRAIGHT FORWARD</b>  45 min	"Complex" <b>5 MODERATE</b>  70 min	"Emergency" <b>6 HIGH</b>  85 min
② of ③ ELEMENTS BELOW REQ.			
ELEMENT → ① NUMBER & COMPLEXITY OF PROBLEMS ADDRESSED AT THE ENCOUNTER	<ul style="list-style-type: none"> <li>• 1 self-limited or minimal</li> </ul>	<ul style="list-style-type: none"> <li>• 2+ chronic stable</li> <li>• 1 chronic worsened/Not @ goal</li> <li>• 1 acute systemic sx</li> <li>• 1 acute complicated injury/illness</li> <li>• 1 undx c UNK Prog c ↑risk of morbidity s tx</li> </ul>	<ul style="list-style-type: none"> <li>• 1 chronic with severe exacerbation</li> <li>• 1 acute or chronic illness or injury that poses a threat to life or bodily function</li> </ul>
ELEMENT → ② AMOUNT/COMPLETENESS OF DATA TO BE REVIEWED AND ANALYZED	None	3 Counts (any) <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assessment req. dir. from historian(s) (=1)</li> </ul> Or <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported)</li> </ul> Or <ul style="list-style-type: none"> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>	3 Counts (any) <ul style="list-style-type: none"> <li>• Each unique test ordered (=1)*</li> <li>• Ea. non-ordered result reviewed (=1)**</li> <li>• Each outside note reviewed (=1)</li> <li>• Assess. req. dir. from historian(s) (=1)</li> </ul> AND <ul style="list-style-type: none"> <li>✓ Independent interpretation of an image, tracing, specimen (not separately reported) <b>OR</b></li> <li>✓ Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>
ELEMENT → ③ RISK OF COMPLICATIONS, MORBIDITY, OR MORTALITY OF PT MANAGEMENT	<b>MINIMAL</b> concern regarding recommended treatment to cause long-term function impairment, the likelihood of side effect from the diminished quality of life, permanent organ damage, or death.	<b>MODERATE</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. Rx drug, minor sx with risk factors, major elective sx without risk factors, Dx/Tx significantly limited by social determinants of health.	<b>HIGH</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death Ex: medication toxicity management, major surgery with risk factors, emergency surgery with risk factors, DNR, etc.

\*Only count unique tests that are NOT separately reported by same tax ID. \*\*Orders include reviews.

# MDM 2024 E/M Coding Levels: Emergency Department (9928x)

To qualify for a level of MDM, 2 of 3 elements must be met or exceeded. Hx and Ex also req.

**Code 99281** for an emergency department visit for the evaluation and management of a patient that did not require the presence of a physician or other qualified health care professional.

	<b>2 STRAIGHT FORWARD</b> "Minor"	<b>3 LOW</b> "Routine"	<b>4 MODERATE</b> "Complex"	<b>5 HIGH</b> "Emergency"
② of ③ ELEMENTS BELOW REQ.				
ELEMENT → ① NUMBER & COMPLEXITY OF PROBLEMS ADDRESSED AT THE ENCOUNTER	<ul style="list-style-type: none"> <li>1 self-limited or minimal</li> </ul>	<ul style="list-style-type: none"> <li>2+ minor or</li> <li>1 chronic stable or</li> <li>1 acute stable</li> <li>1 acute uncomplicated</li> </ul>	<ul style="list-style-type: none"> <li>2+ chronic stable</li> <li>1 chronic worsened/Not @ goal</li> <li>1 acute c systemic sx</li> <li>1 acute complicated injury/illness</li> <li>1 undx c UNK Prog c ↑risk of morbidity s tx</li> </ul>	<ul style="list-style-type: none"> <li>1 chronic with severe exacerbation</li> <li>1 acute or chronic illness or injury that poses a threat to life or bodily function</li> </ul>
ELEMENT → ② AMOUNT/COMPLETENESS OF DATA TO BE REVIEWED AND ANALYZED	None	2 Counts (any) <ul style="list-style-type: none"> <li>Each unique test ordered (=1)*</li> <li>Ea. non-ordered result reviewed (=1)**</li> <li>Each outside note reviewed (=1)</li> </ul> Or <ul style="list-style-type: none"> <li>Assessment req. directly from historian(s)</li> </ul>	3 Counts (any) <ul style="list-style-type: none"> <li>Each unique test ordered (=1)*</li> <li>Ea. non-ordered result reviewed (=1)**</li> <li>Each outside note reviewed (=1)</li> <li>Assessment req. dir. from historian(s) (=1)</li> </ul> Or <ul style="list-style-type: none"> <li>Independent interpretation of an image, tracing, specimen (not separately reported)</li> </ul> Or <ul style="list-style-type: none"> <li>Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>	3 Counts (any) <ul style="list-style-type: none"> <li>Each unique test ordered (=1)*</li> <li>Ea. non-ordered result reviewed (=1)**</li> <li>Each outside note reviewed (=1)</li> <li>Assess. req. dir. from historian(s) (=1)</li> </ul> AND <ul style="list-style-type: none"> <li>Independent interpretation of an image, tracing, specimen (not separately reported) <b>OR</b></li> <li>Discussing patient results directly w external performing / consulting Dr (not separately reported)</li> </ul>
ELEMENT → ③ RISK OF COMPLICATIONS, MORBIDITY, OR MORTALITY OF PT MANAGEMENT	<b>MINIMAL</b> concern regarding the likelihood of side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death.	<b>LOW</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. minor surgery without risk factors, OTC drugs.	<b>MODERATE</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex. Rx drug, minor sx with risk factors, major elective sx without risk factors, Dx/Tx significantly limited by social determinants of health.	<b>HIGH</b> concern regarding the likelihood of a side effect from the recommended treatment to cause long-term function impairment, diminished quality of life, permanent organ damage, or death. Ex: medication toxicity management, major surgery with risk factors, emergency surgery with risk factors, DNR, etc.

\*Only count unique tests that are NOT separately reported by same tax ID. \*\*Orders include reviews.

## **IMPORTANT NOTICE**

The information and tools provided by DecodingDoc are designed as an aid and quick reference for medical providers in the documentation and coding of medical services. While we endeavor to maintain accuracy and current information, DecodingDoc does not warrant the completeness or correctness of the materials provided.

DecodingDoc is not intended to replace professional judgment or independent verification. The ultimate responsibility for accurate coding of services, compliance with regulations, and adherence to payer policies rests with the medical provider. Users of DecodingDoc are advised to cross-reference and confirm the information with official coding guidelines, payer policies, including those from the Centers for Medicare & Medicaid Services (CMS) and private insurers, as well as other authoritative resources.

DecodingDoc expressly disclaims liability for any errors or omissions in the information provided and for any decisions made or actions taken based on such information. By utilizing DecodingDoc, users acknowledge and agree that DecodingDoc is not liable for any claim, loss, or damage resulting from the use of the information.